

(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID : 1071

Roll No.

B.Tech.

(SEM IV) EVEN SEMESTER THEORY EXAMINATION,  
2009-2010THEORY OF AUTOMATA AND  
FORMAL LANGUAGES

Time : 3 Hours

Total Marks : 100

Note : Answer ALL questions.

4. Attempt any two of the following : (2x10=20)

- (a) Construct reduced grammar  $G_2$  from following grammar  $G_1$  such that every symbol appears in some sentential form :

$$S \rightarrow AB, A \rightarrow b, B \rightarrow a, C \rightarrow D, E \rightarrow a$$

Convert  $G_2$  in Chomsky Normal Form.

- (b) Explain MPCP. Does the following PCP have a solution ?

$$A = (10, 01, 0, 100, 1),$$

$$B = (101, 100, 10, 0, 010)$$

- (c) If there is some PDA  $M_1$  to accept CFL  $L$  by final state then show that there also exists another PDA  $M_2$  that accept  $L$  by null (empty) store.

5. Attempt any two of the following : (2x10=20)

- (a) Design Two-Stack PDA to accept the language

$$L = \{a^n b^n c^n \mid n \geq 0\}$$


- (b) Construct a Turing machine to accept the language  $L = \{0^n 1^n 2^n \mid n \geq 0\}$ .

- (c) Prove that arbitrary context free grammars  $G_1$  and  $G_2$ , the problem " $L(G_1) \cap L(G_2)$  is context free" and is undecidable.

- o o o -

1. Attempt any four of the following : (4x5=20)

- (a) Explain the condition in which two Machines  $M_1$  and  $M_2$  are said to be equivalent. Give the difference and similarity between the following finite automata.



- (b) Explain the modification done in FA to make it :

- Two-way Finite Automata
- Push Down Automata
- Turing Machine

- (c) Convert following Mealy machine into equivalent Moore machine :

Present State	Next State			
	a = 0	output	a = 1	output
→ q1	q4	0	q2	1
q2	q2	1	q3	0
q3	q3	0	q4	0
q4	q4	0	q1	0

- (d) Explain Chomsky Hierarchy of languages.

Determine the type of following grammar :

$$S \rightarrow aAb \mid \Lambda, A \rightarrow aA \mid Ab \mid a \mid b$$

- (e) Find the language generated by following grammar :

$$S \rightarrow aAb \mid ab, A \rightarrow bAa, A \rightarrow \Lambda$$

2. Attempt any four of the following : (4x5=20)

- (a) Give the regular expression or FA for :

- (i) The set of all strings over  $\{0, 1\}$  containing exactly two 0's.  
 (ii) The set of all strings over  $\{0, 1\}$  that does not end with 01.

- (b) What do you understand by generalized transition graph (GTG) ? Construct transition diagram (finite automata without  $\Lambda$ -moves) of the following regular expression :  
 $(a+b)^*a+b$

- (c) Construct context free and context sensitive grammars for language

$$L = \{0^n 1^{3n} \mid n \geq 1\}$$

- (d) Prove that the language  $L = \{a^n b^m \mid m \neq n\}$  is not regular by using Pumping Lemma.

- (e) Find left-most, rightmost derivations and construct trees for yield 00110101 from the following grammar :

$$S \rightarrow 0B \mid 1A, A \rightarrow 1AA \mid 0S \mid 0, B \rightarrow 0BB \mid 1S \mid 1.$$

Where terminals are 0 & 1.

Is this grammar ambiguous ?

3. Attempt any four of the following : (4x5=20)

- (a) Let  $G_1 = \{A, B, \{0, 1\}, \{B \rightarrow AB \mid \Lambda, A \rightarrow 011 \mid 1\}, A\}$

$$\text{with } L(G_1) = L_1$$

$$\text{and } G_2 = \{C, D, \{0, 1\}, \{C \rightarrow DC \mid 01, D \rightarrow 01\}, C\}$$

$$\text{with } L(G_2) = L_2$$

Determine grammar G such that

$$L(G) = (L_1 \cup L_2)^*$$

- (b) What is inherent ambiguity ? Show that the language :

$$L = \{a^n b^n c^m d^m \mid m, n \geq 1\} \cup \{a^n b^m c^m d^n \mid m, n \geq 1\}$$

is inherently ambiguous.

- (c) Construct context free grammar that can generate the strings represented by regular expression  $(00 + 1^*)^*0(11 + 0)^*$   
 (d) Construct PDA M to accept the language having equal number of 0's and 1's.  
 (e) Explain Church Thesis and Universal Turing Machine.